

EU-TYPE EXAMINATION (MODULE B) CERTIFICATE

Radio Equipment Directive (RED) 2014/53/EU

PHOENIX TESTLAB
Notified Body Number **0700**



This is to certify that:
PHOENIX TESTLAB did undertake the relevant type examination procedures for the radio equipment identified below which was found to be in compliance with the essential requirements of Radio Equipment Directive (RED) 2014/53/EU subject to any conditions in the annex attached hereto.

Certificate No.	18-211669
Manufacturer	SHENZHEN GOTRON ELECTRONIC CO.,LTD.
Address	518, 5F, R&D building, Tsinghua Hi-Tech park(North) Nanshan district, Shenzhen 518057 P.R.China
Product Description	Mobile Phone; with GSM, WCDMA, LTE, WIFI, Bluetooth, GPS, FM and Non-specific SRD
Brand Name / Model Name	ulefone / GQ3063, S9 Pro, S9, B10 OTOT / B10

The radio equipment meets the following essential requirements

Article 3.1 a): Health and Safety	Conform
Article 3.1 b): Electromagnetic Compatibility	Conform
Article 3.2: Effective and Efficient Use of Radio Spectrum	Conform
Additional Essential Requirements:	Not applicable

Date of issue	2018-07-20	Expiry date:	2023-07-19
---------------	-------------------	--------------	-------------------

This certificate remains valid unless cancelled or revoked, provided the conditions in the attached annex are complied with. The conditions for the validity of this certificate are listed in the Annex.

The attached Annex forms part of this certificate. This certificate consists of 5 pages.



Signed by Andy Yang
Notified Body

Annex

Technical description

Frequency Range	GSM 900 / DCS 1800 MHz Bluetooth: 2402 - 2480 MHz 2.4G WiFi (20 MHz): 2412 - 2472 MHz 2.4G WiFi (40 MHz): 2422 - 2462 MHz 5G WiFi(20 MHz): 5180 – 5240 MHz WiFi(40 MHz): 5190 – 5230 MHz GPS: 1575.42 MHz (Rx) UTRA FDD Band I/VIII E-UTRA FDD Band 1/3/7/8/20 Non-specific SRD: 5745 - 5825 MHz FM: 87.5 - 108 MHz (Rx)
Transmit Power	Max. 2W / Max. 1W Bluetooth: 6.12 dBm EIRP WiFi: 11b: 14.51 dBm EIRP 11g: 12.23 dBm EIRP 11n HT20: 10.62 dBm EIRP 11n HT40: 9.54 dBm EIRP 5GHz WiFi: 6.71 dBm EIRP UTRA FDD: 24 dBm E-UTRA FDD: 23 dBm Non-specific SRD: 6.79 dBm EIRP
Hardware Version	HCT-S219MB-A2
Software Version	GQ3063_S9_Por_V01_20180420

System Components

Battery	3063, 3.8Vdc, 3300mAh SHENZHEN HUATIAN TONG TECHNOLOGY CO.,LTD
---------	-------------------------------------------------------------------

Optional Components

Adapter	NB-0501000EU , Input: AC100-240V 50/60Hz 0.2A; Output: DC 5.0V, 1A; Shenzhen NANBANG Electronics Co.,Ltd.
USB Cable	L=1000±30MM, GQ3063 Shenzhen JinHui TongDa Electronic Technology. Co.LTD.



Approval documentation

External / Internal Photos	provided, 5 / 12 pages
User Manual	provided, 43 pages
Block Diagram	provided, 1 page
Circuit Diagram	provided, 17 pages
Operational Description	Operational Description, 10 pages
PCB Layout	provided, 10 pages
Parts Placement	provided, 2 pages
Parts List	provided, 14 pages
EU Declaration of Conformity	2 pages, July 11, 2018
Explanation of compliance Article 10(2) and Article 10(10)	The description in the user manual .
Further Documents	Risk Assessment, 5 pages, July 11, 2018 Model Different Letter, 1 page, July 18, 2018



Applied Standards and Test Reports


Specification	Laboratory	Test Report Number / Version
EN 60950-1:2006+A11:2009+ A1:2010+A12:2011+A2:2013	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISS180401001
EN 62479:2010	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401413
EN 50360: 2017 EN 50566: 2017 EN 62479:2010 EN 62209-1:2016 EN 62209-2:2010	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401501 V2
Draft ETSI EN 301 489-1 V2.2.0 Final draft ETSI EN 301 489-3 V2.1.1 Draft ETSI EN 301 489-17 V3.2.0 Draft ETSI EN 301 489-19 V2.1.0 Draft ETSI EN 301 489-52 V1.1.0	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180410401 V1
EN 55035:2017 EN 55032:2015 EN 61000-3-2:2014 EN 61000-3-3:2013	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401409 V1
ETSI EN 301 511 V12.5.1	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401410 V1
ETSI EN 301 908-1 V 11.1.1, ETSI EN 301 908-2 V 11.1.2	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401411 V1
ETSI EN 301 908-1 V 11.1.1 ETSI EN 301 908-13 V 11.1.2	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401412 V1
ETSI EN 301 893 V2.1.1	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401405 V2
ETSI EN 300 328 V2.1.1	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401402 V1 CCISE180401403 V1 CCISE180401404 V2
ETSI EN 300 440 V2.1.1	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401406 V1
ETSI EN 303 413 V1.1.1	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401407 V1
Final draft ETSI EN 303 345 V1.1.7	Shenzhen Zhongjian Nanfang Testing Co., Ltd.	CCISE180401408 V1

Limitations / Restrictions

Operating Temperature range -10 - 40 degree Celsius
Body SAR distance is 5 mm.



Notes

1. This certificate will not be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with PHOENIX TESTLAB.
2. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/them being placed on the market.
3. The manufacturer shall take all measures necessary so that the manufacturing process and its monitoring ensure conformity of the manufactured radio equipment with the approved type described in the EU-type examination certificate and with the requirements of Directive 2014/53/EU that apply to it.
4.  The manufacturer shall affix the CE marking to each item of radio equipment that is in conformity with the type described in the EU-type examination certificate and satisfies the applicable requirements of the Directive.
5. The manufacturer shall draw up a written EU declaration of conformity for each radio equipment type and keep it at the disposal of the national authorities for 10 years after the radio equipment has been placed on the market. The EU declaration of conformity shall identify the radio equipment type for which it has been drawn up. A copy of the EU declaration of conformity shall be made available to the relevant authorities upon request.

